

# ARG SERVICES INC.

Fuel Storage & Delivery Solutions



# ABOVEGROUND DOUBLE-WALL FUEL STORAGE

## STANDARD FEATURES

NORMAL VENTING C/W RISER PIPE.  
PRIMARY AND SECONDARY EMERGENCY VENTING.  
MANHOLE / SPILLBOX COMBINATION FOR FILLING,  
DIPPING AND PRIMARY TANK ACCESS.  
MANHOLE / SPILLBOX HAS: LARGE 72 LITRE  
CAPACITY, 3/4" DRAIN BACK PORT, 2" DIP PORT AND  
LOCKABLE HINGED COVER.  
CONTAINMENT INSPECTION PORT.  
APPROVED LIFT LUGS.  
IDENTIFICATION PLATE.  
STRUCTURAL SADDLE BASE SUPPORT.  
GROUNDING LUG.  
GAUGE STICK AND DIP CHART.

## OPTIONAL FEATURES

TANKS CAN BE CUSTOMIZED TO MEET THE  
SPECIFIC NEEDS OF THE CUSTOMER.  
THE OPTIONAL MULTI-COMPARTMENT DESIGN  
PROVIDES STORAGE OF TWO OR MORE  
PRODUCTS. OPTIONAL FEATURES INCLUDE:  
A HEAVY DUTY SKID PACKAGE.  
PLATFORM OR CABINET MOUNTED PUMPS.  
REMOTE TOP FILLING.  
CUSTOM PIPING.  
INTERIOR LININGS.  
CUSTOM PAINT.

110 % CONTAINMENT STEEL SECONDARY

STEEL PRIMARY TANK

DOUBLE WALL CONSTRUCTION



[www.argservices.ca](http://www.argservices.ca)

PO Box 38050  
794 Fort Street, Victoria,  
British Columbia  
V8W 3N2

Tel: 1-888-703-9626  
Fax: (250) 703-9632

## SPECIFICATIONS

SIZES UP TO 200,000 LITRES  
PRIMARY ULC-S601-00 OR UL-142  
SECONDARY ULC-S653-94 OR UL-142/UL-2004  
PIPE SCHEDULE 40 A53 GR.B  
FITTINGS CLASS #150  
BLAST SSPC-SP6  
ACRYLIC POLYURETHANE COATING

# DOUBLE-WALLED MOBILE TRAVEL TANKS

## STANDARD FEATURES

12 GAUGE CONSTRUCTION BOTH (PRIMARY AND SECONDARY) FOR 318 TO 818 LITRES.

3/16" PRIMARY FOR THE 3000 LITRE TANK.

PROFESSIONALLY ENGINEERED DESIGN.

RIGOROUS TESTING-MEETING OR EXCEEDING ALL TDGR INCLUDING DROP, VIBRATION, HYDRAULIC AND LEAK TESTING.

COMBINATION 2 1/2" NPT FILL/NORMAL VENT/ EMERGENCY VENTING.

REINFORCED 2" NPT PUMP MOUNT FITTING.

SECONDARY INSPECTION PORT

FUSIBLE LINK EMERGENCY VENT.

## OPTIONAL FEATURES

MOUNTING HARDWARE.

PUMP SHEAR KIT.

CUSTOM PAINT.

**LOW PROFILE DESIGN OF THE TRAVEL TANK  
ALLOWS FOR GREATER REAR WINDOW  
VISIBILITY WITHOUT COMPROMISING  
VOLUME**

STEEL PRIMARY TANK

110 % CONTAINMENT STEEL SECONDARY TANK



DOUBLE WALL CONSTRUCTION



[www.argservices.ca](http://www.argservices.ca)

PO Box 38050  
794 Fort Street, Victoria,  
British Columbia  
V8W 3N2

Tel: 1-888-703-9626  
Fax: (250) 703-9632


## SPECIFICATIONS

MOBILE REFUELING TANKS CGSB-43.146  
INTERMEDIATE CONTAINERS FOR TDG

SIZES UP TO 3000 LITRES

ACRYLIC POLYURETHANE COATING

# DOUBLE-WALL FUEL STORAGE SIZES & WEIGHTS



## ABOVE GROUND DOUBLE-WALLED TANKS

Size (Liters)	Size (Gallons)	Overall Dimensions			95% Fill Capacity	Approximate Tank Weight
		H	W	L		
1,364	300	44"	39"	89"	1,296	674 lbs.
2,400	500	51"	60"	87"	2,280	1,453 lbs.
4,328	1000	51"	64"	145"	4,112	2,100 lbs.
10,000	2200	77"	66"	214"	9,500	5,200 lbs.
15,000	3300	95"	81"	217"	14,250	7,400 lbs.
25,000	5000	102"	90"	290"	23,750	10,100 lbs.
35,000	8000	102"	90"	395"	33,250	12,900 lbs.
50,000	10,000	131"	119"	323"	47,500	20,400 lbs.
61,000	13,000	131"	119"	385"	57,950	23,700 lbs.
75,000	16,000	131"	119"	485"	71,250	27,600 lbs.
90,000	20,000	131"	119"	545"	85,500	33,000 lbs.
100,000	22,000	126"	138"	552"	95,000	32,318 lbs.
120,000	26,000	139"	151"	552"	114,000	40,522 lbs.



## MOBILE - DOUBLE-WALLED TANKS

Size (Liters)	Size (Gallons)	Overall Dimensions			Configure	Approximate Tank Weight
		H	W	L		
454	100	20.50"	29.25"	49.50"	rectangular	405 lbs.
659	145	30.50"	29.25"	49.50"	rectangular	510 lbs.
818	180	30.50"	29.25"	61.50"	rectangular	598 lbs.
3000	660	58.90"	57.25"	76.50"	cylinder	2,950 lbs.



[www.argservices.ca](http://www.argservices.ca)

PO Box 38050  
794 Fort Street, Victoria,  
British Columbia  
V8W 3N2

Tel: 1-888-703-9626

Fax: (250) 703-9632